

Foundational Competencies in Older Adult Mental Health

Suicide

References

Slide 4 - Defining Suicide

- Andriessen, K. (2006). On "intention" in the definition of suicide. *Suicide & life-threatening behavior*, 36(5), 533–538. <https://doi.org/10.1521/suli.2006.36.5.533>
- De Leo, D., Burgis, S., Bertolote, J. M., Kerkhof, A., & Bille-Brahe, U. (2004). Definitions of Suicidal Behaviour. In D. De Leo, U. Bille-Brahe, A. Kerkhof, & A. Schmidtke (Eds.), *Suicidal behaviour: Theories and research findings* (pp. 17–39). Hogrefe & Huber Publishers.
- Marusic, A. (2004). Toward a new definition of suicidality? Are we prone to Fregoli's illusion?. *Crisis*, 25(4), 145–146. <https://doi.org/10.1027/0227-5910.25.4.145>

Slide 5 - Prevalence of Older Adult Suicide

- El Ibrahim, S., Xiao, Y., Bergeron, C. D., Beckford, N. Y., Virgen, E. M., & Smith, M. L. (2021). Suicide Distribution and Trends Among Male Older Adults in the U.S., 1999–2018. *American journal of preventive medicine*, 60(6), 802–811. <https://doi.org/10.1016/j.amepre.2020.12.021>
- Conwell, Y., Van Orden, K., & Caine, E. D. (2011). Suicide in older adults. *The Psychiatric clinics of North America*, 34(2), 451–ix. <https://doi.org/10.1016/j.psc.2011.02.002>
- Kiesses, D. N., Szanto, K., & Alexopoulos, G. S. (2014). Suicide in older adults: the role of emotions and cognition. *Current psychiatry reports*, 16(11), 495. <https://doi.org/10.1007/s11920-014-0495-3>
- U.S. Department of Health and Human Services. (n.d.). *Suicide*. National Institute of Mental Health. Retrieved on December 4, 2021, from <https://www.nimh.nih.gov/health/statistics/suicide>.
- Cui, R., & Fiske, A. (2020). New Research on Older Adult Suicide: A Reason for Hope. *Clinical gerontologist*, 43(1), 1–3. <https://doi.org/10.1080/07317115.2020.1690299>

Slide 6 - Older Adult Compared to Younger Adult Suicide

- Duberstein, P. R. (1995). Openness to experience and completed suicide across the second half of life. *International psychogeriatrics*, 7(2), 183–198. <https://doi.org/10.1017/s1041610295001967>
- Miret, M., Nuevo, R., Morant, C., Sainz-Cortón, E., Jiménez-Arriero, M. A., López-Ibor, J. J., Reneses, B., Saiz-Ruiz, J., Baca-García, E., & Ayuso-Mateos, J. L. (2010). Differences between younger and older adults in the structure of suicidal intent and its correlates. *The American journal of geriatric psychiatry: official journal of the American Association for Geriatric Psychiatry*, 18(9), 839–847. <https://doi.org/10.1097/JGP.0b013e3181d145b0>
- Harriss, L., Hawton, K., & Zahl, D. (2005). Value of measuring suicidal intent in the assessment of people attending hospital following self-poisoning or self-injury. *The British journal of psychiatry: the journal of mental science*, 186, 60–66. <https://doi.org/10.1192/bjp.186.1.60>
- Gallagher-Thompson, D., & Osgood, N. J. (1997). Suicide in later life. *Behavior Therapy*, 28(1), 23–41. [https://doi.org/10.1016/S0005-7894\(97\)80032-9](https://doi.org/10.1016/S0005-7894(97)80032-9)
- Conwell, Y. (2001). Suicide in later life: a review and recommendations for prevention. *Suicide & life-threatening behavior*, 31 Suppl, 32–47. <https://doi.org/10.1521/suli.31.1.5.32.24221>
- Miniño, A. M., Arias, E., Kochanek, K. D., Murphy, S. L., & Smith, B. L. (2002). Deaths: final data for 2000. *National vital statistics reports: from the Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System*, 50(15), 1–119.

Foundational Competencies in Older Adult Mental Health

Suicide

References

Slide 7 - Suicide Risk Factors: Mental Health

- Conwell, Y., Van Orden, K., & Caine, E. D. (2011). Suicide in older adults. *The Psychiatric clinics of North America*, 34(2), 451–ix. <https://doi.org/10.1016/j.psc.2011.02.002>
- Conwell, Y. (2013). Suicide and suicide prevention in later life. *Focus*, 11(1):39–47.
- Blow, F. C., Brockmann, L. M., & Barry, K. L. (2004). Role of alcohol in late-life suicide. *Alcoholism, clinical and experimental research*, 28(5 Suppl), 48S–56S. <https://doi.org/10.1097/01.alc.0000127414.15000.83?>
- Carney, S. S., Rich, C. L., Burke, P. A., & Fowler, R. C. (1994). Suicide over 60: the San Diego study. *Journal of the American Geriatrics Society*, 42(2), 174–180. <https://doi.org/10.1111/j.1532-5415.1994.tb04948.x>

Slide 8 - Suicide Risk Factors: Physical Health and Functioning

- Conwell, Y., Van Orden, K., & Caine, E. D. (2011). Suicide in older adults. *The Psychiatric clinics of North America*, 34(2), 451–ix. <https://doi.org/10.1016/j.psc.2011.02.002>
- Conwell, Y. (2013). Suicide and suicide prevention in later life. *Focus*, 11(1):39–47.
- Juurlink, D. N., Herrmann, N., Szalai, J. P., Kopp, A., & Redelmeier, D. A. (2004). Medical illness and the risk of suicide in the elderly. *Archives of internal medicine*, 164(11), 1179–1184. <https://doi.org/10.1001/archinte.164.11.1179>
- Quan, H., Arboleda-Flórez, J., Fick, G. H., Stuart, H. L., & Love, E. J. (2002). Association between physical illness and suicide among the elderly. *Social psychiatry and psychiatric epidemiology*, 37(4), 190–197. <https://doi.org/10.1007/s001270200014>
- Conwell, Y., Duberstein, P. R., Hirsch, J. K., Conner, K. R., Eberly, S., & Caine, E. D. (2010). Health status and suicide in the second half of life. *International journal of geriatric psychiatry*, 25(4), 371–379. <https://doi.org/10.1002/gps.2348>
- Kaplan, G., Barell, V., & Lusky, A. (1988). Subjective state of health and survival in elderly adults. *Journal of gerontology*, 43(4), S114–S120. <https://doi.org/10.1093/geronj/43.4.s114>
- Li, L. W., & Conwell, Y. (2010). Pain and self-injury ideation in elderly men and women receiving home care. *Journal of the American Geriatrics Society*, 58(11), 2160–2165. <https://doi.org/10.1111/j.1532-5415.2010.03151.x>

Slide 9 - Suicide Risk Factors: Social Issues

- Conwell, Y., Van Orden, K., & Caine, E. D. (2011). Suicide in older adults. *The Psychiatric clinics of North America*, 34(2), 451–ix. <https://doi.org/10.1016/j.psc.2011.02.002>
- Conwell, Y. (2013). Suicide and suicide prevention in later life. *Focus*, 11(1):39–47.
- Beautrais, A. L. (2002). A case control study of suicide and attempted suicide in older adults. *Suicide & life-threatening behavior*, 32(1), 1–9. <https://doi.org/10.1521/suli.32.1.1.22184>
- Rubenowitz, E., Waern, M., Wilhelmson, K., & Allebeck, P. (2001). Life events and psychosocial factors in elderly suicides—a case-control study. *Psychological medicine*, 31(7), 1193–1202. <https://doi.org/10.1017/s0033291701004457>
- National Center for Injury Prevention and Control (U.S.). (2009). Connectedness as a strategic direction for the prevention of suicidal behavior. Retrieved June 8, 2022, from <https://stacks.cdc.gov/view/cdc/11796>
- Gilman, S. E., Bruce, M. L., Ten Have, T., Alexopoulos, G. S., Mulsant, B. H., Reynolds, C. F., 3rd, & Cohen, A. (2013). Social inequalities in depression and suicidal ideation among older

Foundational Competencies in Older Adult Mental Health

Suicide

References

- primary care patients. *Social psychiatry and psychiatric epidemiology*, 48(1), 59–69. <https://doi.org/10.1007/s00127-012-0575-9>
- Duberstein, P. R., Conwell, Y., Conner, K. R., Eberly, S., Evinger, J. S., & Caine, E. D. (2004). Poor social integration and suicide: fact or artifact? A case-control study. *Psychological medicine*, 34(7), 1331–1337. <https://doi.org/10.1017/s0033291704002600>
 - Turvey, C. L., Conwell, Y., Jones, M. P., Phillips, C., Simonsick, E., Pearson, J. L., & Wallace, R. (2002). Risk factors for late-life suicide: a prospective, community-based study. *The American journal of geriatric psychiatry: official journal of the American Association for Geriatric Psychiatry*, 10(4), 398–406.

Slide 10 - Suicide Risk Factors: Other Issues

- Conwell, Y., Van Orden, K., & Caine, E. D. (2011). Suicide in older adults. *The Psychiatric clinics of North America*, 34(2), 451–ix. <https://doi.org/10.1016/j.psc.2011.02.002>
- Conwell, Y. (2013). Suicide and suicide prevention in later life. *Focus*, 11(1):39–47.
- Stice, B. & Canetto, S.S. (2008). Older adult suicide: perceptions of precipitants and protective factors. *Clinical Gerontologist*, 31(4), 4-30, <https://doi.org/10.1080/07317110801947144>
- Clark, D. C. (1993). Narcissistic crises of aging and suicidal despair. *Suicide & life-threatening behavior*, 23(1), 21–26.
- Duberstein, P. R. (1995). Openness to experience and completed suicide across the second half of life. *International psychogeriatrics*, 7(2), 183–198. <https://doi.org/10.1017/s1041610295001967>
- Chang, E.C., Yu, E.A., Lee, J.Y., Hirsch, J., Kupferman, Y., & Kahle, E. (2013). An examination of optimism/pessimism and suicide risk in primary care patients: does belief in a changeable future make a difference? *Cognitive Therapy and Research*, 37(4), 896-804. <http://dx.doi.org/10.1007/s10608-012-9505-0>
- Hwang, J. P., Lee, T. W., Tsai, S. J., Chen, T. J., Yang, C. H., Lirng, J. F., & Tsai, C. F. (2010). Cortical and subcortical abnormalities in late-onset depression with history of suicide attempts investigated with MRI and voxel-based morphometry. *Journal of geriatric psychiatry and neurology*, 23(3), 171–184. <https://doi.org/10.1177/0891988710363713>
- Dombrovski, A. Y., Siegle, G. J., Szanto, K., Clark, L., Reynolds, C. F., & Aizenstein, H. (2012). The temptation of suicide: striatal gray matter, discounting of delayed rewards, and suicide attempts in late-life depression. *Psychological medicine*, 42(6), 1203–1215. <https://doi.org/10.1017/S0033291711002133>

Slide 11 - Substance Misuse and Suicide

- Carlsten, A., & Waern, M. (2009). Are sedatives and hypnotics associated with increased suicide risk of suicide in the elderly?. *BMC geriatrics*, 9, 20. <https://doi.org/10.1186/1471-2318-9-20>
- Schepis, T. S., Simoni-Wastila, L., & McCabe, S. E. (2019). Prescription opioid and benzodiazepine misuse is associated with suicidal ideation in older adults. *International journal of geriatric psychiatry*, 34(1), 122–129. <https://doi.org/10.1002/gps.4999>
- Carter, M. W., & Reymann, M. R. (2014). ED use by older adults attempting suicide. *The American journal of emergency medicine*, 32(6), 535–540. <https://doi.org/10.1016/j.ajem.2014.02.003>

Foundational Competencies in Older Adult Mental Health

Suicide

References

- Conwell, Y. (2014). Suicide later in life: challenges and priorities for prevention. *American journal of preventive medicine*, 47(3 Suppl 2), S244–S250.
<https://doi.org/10.1016/j.amepre.2014.05.040>

Slide 12 - Impending Suicide Attempt Warning Signs

- Mitty, E., & Flores, S. (2008). Suicide in late life. *Geriatric nursing (New York, N.Y.)*, 29(3), 160–165. <https://doi.org/10.1016/j.gerinurse.2008.02.009>
- Holkup, P. A. (2003). Evidence-based protocol elderly suicide--secondary prevention. *Journal of gerontological nursing*, 29(6), 6–17. <https://doi.org/10.3928/0098-9134-20030601-05>

Slide 13 - Suicide Protective Factors

- Mitty, E., & Flores, S. (2008). Suicide in late life. *Geriatric nursing (New York, N.Y.)*, 29(3), 160–165. <https://doi.org/10.1016/j.gerinurse.2008.02.009>
- Holkup, P. A. (2003). Evidence-based protocol elderly suicide--secondary prevention. *Journal of gerontological nursing*, 29(6), 6–17. <https://doi.org/10.3928/0098-9134-20030601-05>
- Beautrais, A. L. (2002). A case control study of suicide and attempted suicide in older adults. *Suicide & life-threatening behavior*, 32(1), 1–9.
<https://doi.org/10.1521/suli.32.1.1.22184>
- Dombrovski, A. Y., & Szanto, K. (2005). Prevention of suicide in the elderly. *Annals of Long-Term Care*, 13(12): 25–32.

Slide 18 - Asking Older Adults About Suicide

- Raue, P. J., Ghesquiere, A. R., & Bruce, M. L. (2014). Suicide risk in primary care: identification and management in older adults. *Current psychiatry reports*, 16(9), 466.
<https://doi.org/10.1007/s11920-014-0466-8>
- Skultety, K. M., & Rodriguez, R. L. (2008). Treating geriatric depression in primary care. *Current psychiatry reports*, 10(1), 44–50. <https://doi.org/10.1007/s11920-008-0009-2>
- Luoma, J. B., Martin, C. E., & Pearson, J. L. (2002). Contact with mental health and primary care providers before suicide: a review of the evidence. *The American journal of psychiatry*, 159(6), 909–916. <https://doi.org/10.1176/appi.ajp.159.6.909>
- O'Connor, E., Gaynes, B. N., Burda, B. U., Soh, C., & Whitlock, E. P. (2013). Screening for and treatment of suicide risk relevant to primary care: a systematic review for the U.S. Preventive Services Task Force. *Annals of internal medicine*, 158(10), 741–754.
<https://doi.org/10.7326/0003-4819-158-10-201305210-00642>
- Schulberg, H. C., Bruce, M. L., Lee, P. W., Williams, J. W., Jr, & Dietrich, A. J. (2004). Preventing suicide in primary care patients: the primary care physician's role. *General hospital psychiatry*, 26(5), 337–345. <https://doi.org/10.1016/j.genhosppsych.2004.06.007>

Slide 19 - Suicide Screening Instruments

- Raue, P. J., Ghesquiere, A. R., & Bruce, M. L. (2014). Suicide risk in primary care: identification and management in older adults. *Current psychiatry reports*, 16(9), 466.
<https://doi.org/10.1007/s11920-014-0466-8>
- Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: validity of a brief depression severity measure. *Journal of general internal medicine*, 16(9), 606–613.
<https://doi.org/10.1046/j.1525-1497.2001.016009606.x>
- Posner, K., Brown, G. K., Stanley, B., Brent, D. A., Yershova, K. V., Oquendo, M. A., Currier, G. W., Melvin, G. A., Greenhill, L., Shen, S., & Mann, J. J. (2011). The Columbia-Suicide Severity

Foundational Competencies in Older Adult Mental Health

Suicide

References

Rating Scale: initial validity and internal consistency findings from three multisite studies with adolescents and adults. *The American journal of psychiatry*, 168(12), 1266–1277.
<https://doi.org/10.1176/appi.ajp.2011.10111704>

- Dube, P., Kurt, K., Bair, M. J., Theobald, D., & Williams, L. S. (2010). The p4 screener: evaluation of a brief measure for assessing potential suicide risk in 2 randomized effectiveness trials of primary care and oncology patients. *Primary care companion to the Journal of clinical psychiatry*, 12(6), PCC.10m00978.
<https://doi.org/10.4088/PCC.10m00978blu>

Slide 20 - Assessing Suicide Risk in Older Adults

- Raue, P. J., Ghesquiere, A. R., & Bruce, M. L. (2014). Suicide risk in primary care: identification and management in older adults. *Current psychiatry reports*, 16(9), 466.
<https://doi.org/10.1007/s11920-014-0466-8>
- Raue, P. J., Brown, E. L., Meyers, B. S., Schulberg, H. C., & Bruce, M. L. (2006). Does every allusion to possible suicide require the same response?. *The Journal of family practice*, 55(7), 605–612.

Slide 22 - No Suicidal Ideation

- Raue, P. J., Ghesquiere, A. R., & Bruce, M. L. (2014). Suicide risk in primary care: identification and management in older adults. *Current psychiatry reports*, 16(9), 466.
<https://doi.org/10.1007/s11920-014-0466-8>
- Raue, P. J., Brown, E. L., Meyers, B. S., Schulberg, H. C., & Bruce, M. L. (2006). Does every allusion to possible suicide require the same response?. *The Journal of family practice*, 55(7), 605–612.
- Scocco, P., Meneghel, G., Caon, F., Dello Buono, M., & De Leo, D. (2001). Death ideation and its correlates: survey of an over-65-year-old population. *The Journal of nervous and mental disease*, 189(4), 210–218. <https://doi.org/10.1097/00005053-200104000-00002>
- Raue, P. J., Ghesquiere, A. R., & Bruce, M. L. (2014). Suicide risk in primary care: identification and management in older adults. *Current psychiatry reports*, 16(9), 466.
<https://doi.org/10.1007/s11920-014-0466-8>

Slide 23 - Passive Suicidal Ideation

- Raue, P. J., Ghesquiere, A. R., & Bruce, M. L. (2014). Suicide risk in primary care: identification and management in older adults. *Current psychiatry reports*, 16(9), 466.
<https://doi.org/10.1007/s11920-014-0466-8>
- Raue, P. J., Brown, E. L., Meyers, B. S., Schulberg, H. C., & Bruce, M. L. (2006). Does every allusion to possible suicide require the same response?. *The Journal of family practice*, 55(7), 605–612.

Slide 24-25 - Active Suicidal Ideation

- Raue, P. J., Ghesquiere, A. R., & Bruce, M. L. (2014). Suicide risk in primary care: identification and management in older adults. *Current psychiatry reports*, 16(9), 466.
<https://doi.org/10.1007/s11920-014-0466-8>
- Raue, P. J., Brown, E. L., Meyers, B. S., Schulberg, H. C., & Bruce, M. L. (2006). Does every allusion to possible suicide require the same response?. *The Journal of family practice*, 55(7), 605–612.

Foundational Competencies in Older Adult Mental Health

Suicide

References

Slide 26 - Immediate Suicide Risk

- Raue, P. J., Ghesquiere, A. R., & Bruce, M. L. (2014). Suicide risk in primary care: identification and management in older adults. *Current psychiatry reports*, 16(9), 466. <https://doi.org/10.1007/s11920-014-0466-8>
- Raue, P. J., Brown, E. L., Meyers, B. S., Schulberg, H. C., & Bruce, M. L. (2006). Does every allusion to possible suicide require the same response?. *The Journal of family practice*, 55(7), 605–612.

Slide 29 - Prevention Interventions

- Conwell, Y., Van Orden, K., & Caine, E. D. (2011). Suicide in older adults. *The Psychiatric clinics of North America*, 34(2), 451–ix. <https://doi.org/10.1016/j.psc.2011.02.002>
- Institute of Medicine (US) Committee on Prevention of Mental Disorders, Mrazek, P. J., & Haggerty, R. J. (Eds.). (1994). *Reducing Risks for Mental Disorders: Frontiers for Preventive Intervention Research*. National Academies Press (US).

Slide 30: Universal Prevention

- Conwell, Y., Van Orden, K., & Caine, E. D. (2011). Suicide in older adults. *The Psychiatric clinics of North America*, 34(2), 451–ix. <https://doi.org/10.1016/j.psc.2011.02.002>
- Ludwig, J., & Cook, P. J. (2000). Homicide and suicide rates associated with implementation of the Brady Handgun Violence Prevention Act. *JAMA*, 284(5), 585–591. <https://doi.org/10.1001/jama.284.5.585>

Slide 31 - Selective Prevention

- Conwell, Y., Van Orden, K., & Caine, E. D. (2011). Suicide in older adults. *The Psychiatric clinics of North America*, 34(2), 451–ix. <https://doi.org/10.1016/j.psc.2011.02.002>
- De Leo, D., Dello Buono, M., & Dwyer, J. (2002). Suicide among the elderly: the long-term impact of a telephone support and assessment intervention in northern Italy. *The British journal of psychiatry : the journal of mental science*, 181, 226–229. <https://doi.org/10.1192/bjp.181.3.226>

Slide 32 - Indicated Prevention

- Conwell, Y., Van Orden, K., & Caine, E. D. (2011). Suicide in older adults. *The Psychiatric clinics of North America*, 34(2), 451–ix. <https://doi.org/10.1016/j.psc.2011.02.002>
- Bartels, S. J., Coakley, E. H., Zubritsky, C., Ware, J. H., Miles, K. M., Areán, P. A., Chen, H., Oslin, D. W., Llorente, M. D., Costantino, G., Quijano, L., McIntyre, J. S., Linkins, K. W., Oxman, T. E., Maxwell, J., Levkoff, S. E., & PRISM-E Investigators (2004). Improving access to geriatric mental health services: a randomized trial comparing treatment engagement with integrated versus enhanced referral care for depression, anxiety, and at-risk alcohol use. *The American journal of psychiatry*, 161(8), 1455–1462. <https://doi.org/10.1176/appi.ajp.161.8.1455>
- Bruce, M. L., Ten Have, T. R., Reynolds, C. F., 3rd, Katz, I. I., Schulberg, H. C., Mulsant, B. H., Brown, G. K., McAvay, G. J., Pearson, J. L., & Alexopoulos, G. S. (2004). Reducing suicidal ideation and depressive symptoms in depressed older primary care patients: a randomized controlled trial. *JAMA*, 291(9), 1081–1091. <https://doi.org/10.1001/jama.291.9.1081>
- Unützer, J., Katon, W., Callahan, C. M., Williams, J. W., Jr, Hunkeler, E., Harpole, L., Höffing, M., Della Penna, R. D., Noël, P. H., Lin, E. H., Areán, P. A., Hegel, M. T., Tang, L., Belin, T. R., Oishi, S., Langston, C., & IMPACT Investigators. Improving Mood-Promoting Access to

Foundational Competencies in Older Adult Mental Health

Suicide

References

Collaborative Treatment (2002). Collaborative care management of late-life depression in the primary care setting: a randomized controlled trial. *JAMA*, 288(22), 2836–2845.
<https://doi.org/10.1001/jama.288.22.2836>

- Alexopoulos, G. S., Reynolds, C. F., 3rd, Bruce, M. L., Katz, I. R., Raue, P. J., Mulsant, B. H., Oslin, D. W., Ten Have, T., & PROSPECT Group (2009). Reducing suicidal ideation and depression in older primary care patients: 24-month outcomes of the PROSPECT study. *The American journal of psychiatry*, 166(8), 882–890.
<https://doi.org/10.1176/appi.ajp.2009.08121779>
- Ünützer, J., Tang, L., Oishi, S., Katon, W., Williams, J. W., Jr, Hunkeler, E., Hendrie, H., Lin, E. H., Levine, S., Grypma, L., Steffens, D. C., Fields, J., Langston, C., & IMPACT Investigators (2006). Reducing suicidal ideation in depressed older primary care patients. *Journal of the American Geriatrics Society*, 54(10), 1550–1556. <https://doi.org/10.1111/j.1532-5415.2006.00882.x>

Slide 33 - Prevention Research Challenges

- Conwell, Y. (2014). Suicide later in life: challenges and priorities for prevention. *American journal of preventive medicine*, 47(3 Suppl 2), S244–S250.
<https://doi.org/10.1016/j.amepre.2014.05.040>
- Conwell, Y. (2013). Suicide and suicide prevention in later life. *Focus*, 11(1):39–47.
- Van Orden, K. A., Simning, A., Conwell, Y., Skoog, I., & Waern, M. (2013). Characteristics and comorbid symptoms of older adults reporting death ideation. *The American journal of geriatric psychiatry: official journal of the American Association for Geriatric Psychiatry*, 21(8), 803–810. <https://doi.org/10.1016/j.jagp.2013.01.015>
- Lapierre, S., Erlangsen, A., Waern, M., De Leo, D., Oyama, H., Scocco, P., Gallo, J., Szanto, K., Conwell, Y., Draper, B., Quinnnett, P., & International Research Group for Suicide among the Elderly (2011). A systematic review of elderly suicide prevention programs. *Crisis*, 32(2), 88–98. <https://doi.org/10.1027/0227-5910/a000076>

Slide 36 – Next Steps

- Lehmann, S. W., & Fingerhood, M. (2018). Substance-Use Disorders in Later Life. *The New England journal of medicine*, 379(24), 2351–2360. <https://doi.org/10.1056/NEJMra1805981>
- Dong, X., Chen, R., Wu, B., Zhang, N. J., Mui, A. C., & Chi, I. (2015). Association between Elder Mistreatment and Suicidal Ideation among Community-Dwelling Chinese Older Adults in the USA. *Gerontology*, 62(1), 71–80. <https://doi.org/10.1159/000437420>
- Conejero, I., Olié, E., Courtet, P., & Calati, R. (2018). Suicide in older adults: current perspectives. *Clinical interventions in aging*, 13, 691–699.
<https://doi.org/10.2147/CIA.S130670>
- Crestani, C., Masotti, V., Corradi, N., Schirripa, M. L., & Cecchi, R. (2019). Suicide in the elderly: a 37-years retrospective study. *Acta bio-medica : Atenei Parmensis*, 90(1), 68–76.
<https://doi.org/10.23750/abm.v90i1.6312>